This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

The specification has been amended to include a reference to the parent case. No new matter has been added. A separate unmarked copy of the claims as herewith amended and now pending in this application is appended to this paper for the Examiner's convenience.

Please charge any shortage in fees due in connection with the filing of this paper, including Extension of Time fees to Deposit Account No. 11.0345. Please credit any excess fees to such deposit account.

Respectfully submitted,

KEIL & WEINKAUF

Herbert B. Keil Reg. No. 18,967

1101 Connecticut Ave, N.W. Washington, D.C. 20036 (202) 659-0100

Encl.: THE ACTIVE CLAIMS

HBK/BAS

A P P E N D I X:

THE ACTIVE CLAIMS:

1. (amended) A 3-phenyluracil of formula I

where

 X^1 and X^2 are each oxygen or sulfur;

- W is $-C(R^8)=C(R^9)-CN$, $-C(R^8)=C(R^9)-CO-R^{10}$, $-CH(R^8)-CH(R^9)-CO-R^{10}$, $-C(R^8)=C(R^9)-CH_2-CO-R^{10}$, $-C(R^8)=C(R^9)-C(R^{11})=C(R^{12})-CO-R^{10}$ or $-C(R^8)=C(R^9)-CH_2-CH(R^{13})-CO-R^{10}$ where
 - R⁸ is hydrogen, cyano, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_1 - C_6 -haloalkyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl or C_1 - C_6 -alkoxycarbonyl;
 - R^9 and R^{12} are each hydrogen, cyano, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, halo- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl or C_1 - C_6 -alkoxycarbonyl;
 - R¹⁰ is hydrogen, O-R¹⁷, S-R¹⁷, C₁-C₆-alkyl which may furthermore carry one or two C₁-C₆-alkoxy substituents, or $C_3-C_6-alkenyl, \quad C_3-C_6-alkynyl, \quad C_1-C_6-haloalkyl, \quad C_3-C,cy-cloalkyl, \quad C_1-C_6-alkylthio-C_1-C_6-alkyl, \quad C_1-C_6-alkylimi-nooxy, -N(R¹⁵)R¹⁶ or$

phenyl which is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl,

 R^{15} and R^{16} are each hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, C_3 - C_6 -cycloalkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, C_1 - C_6 -alkoxycarbonyl- C_2 - C_6 -alkenyl, where the alkenyl chain is unsubstituted or carries from one to three of the following radicals: halogen and cyano, or phenyl which is unsubstituted or carries from one to

)



three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl, or

- R^{15} and R^{16} together with the common nitrogen atom form a saturated or unsaturated 4-membered to 7-membered heterocyclic structure, where one ring member is optionally replaced by -O-, -S-, -N=, -NH- or -N(C₁-C₆-alky1)-;
- R¹⁷ is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -haloalkenyl, cyano- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylthio- C_1 - C_6 -alkyl, C_1 - C_6 -alkyloximino- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, C_1 - C_6 -alkylcarbonyl- C_1 - C_6 -alkylcarbonyl- C_1 - C_6 -alkyl,

phenyl or phenyl- C_1 - C_6 -alkyl, where each of the phenyl radicals is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;

- R¹¹ is hydrogen, cyano, halogen, C_1-C_6 -alkyl, C_3-C_6 -alkenyl, C_3-C_6 -alkynyl, C_1-C_6 -alkoxy- C_1-C_6 -alkyl, C_1-C_6 -alkylcarbonyl, C_1-C_6 -alkoxycarbonyl,
 - -NR 18 R 19 , where R 18 and R 19 have the same meanings as R 15 and R 16 , or
 - phenyl which is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;
- R^{13} is hydrogen, cyano, C_1-C_6 -alkyl or C_1-C_6 -alkoxycarbonyl; or
- R^9 and R^{10} together form a two-membered to five-membered carbon chain in which one carbon atom may be replaced with oxygen, sulfur or unsubstituted or C_1 - C_6 -alkyl-substituted nitrogen;
- R1 is halogen, cyano, nitro or trifluoromethyl;
- R² is hydrogen or halogen;
- R³ is hydrogen, nitro, C_1-C_6 -alkyl, C_3-C_6 -alkenyl, C_3-C_6 -alkynyl, C_3-C_8 -cycloalkyl, C_3-C_8 -cycloalkylcarbonyl, cyano- C_1-C_6 -alkyl,



 C_1-C_6 -haloalkyl, C_1-C_6 -alkoxy- C_1-C_6 -alkyl, formyl, C_1-C_6 -alkanoyl, C_1-C_6 -alkoxycarbonyl, C_1-C_6 -haloalkylcarbonyl, C_1-C_6 -alkyl, C_1-C_6 -alkyl, C_1-C_6 -alkyl;

a group $-N(R^{20})R^{21}$, where R^{20} and R^{21} have one of the meanings of R^{15} and R^{16} ;

phenyl or phenyl- C_1 - C_6 -alkyl, where each phenyl ring is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;

- R4 is hydrogen, cyano, nitro, halogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₈-cycloalkyl, C₁-C₆-haloalkyl, C₁-C₆-hydroxyalkyl, cyano-C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkyl-thio, C₁-C₆-alkoxy-C₁-C₆-alkyl, C₁-C₆-alkylthio-C₁-C₆-alkyl or phenyl which is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy and C₁-C₆-alkoxy-carbonyl;
- is hydrogen, cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -hydroxyalkyl, cyano- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkylthio- C_1 - C_6 -alkyl, formyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -haloalkylcarbonyl, C_1 - C_6 -alkoxy-carbonyl- C_2 - C_6 -alkenyl,
 - $-N(R^{22})R^{23}\text{,}$ where R^{22} and R^{23} have one of the meanings of R^{15} and $R^{16}\text{,}$ or
 - phenyl which is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxy-carbonyl, or
- R⁴ and R⁵ together form a saturated or unsaturated 3-membered or 4-membered carbon chain which optionally contains from one to three of the following hetero atoms: 1 or 2 oxygen atoms, 1 or 2 sulfur atoms and from 1 to 3 nitrogen atoms, and the chain is unsubstituted or carries from one to three of the following radicals: cyano, nitro, amino, halogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio and C₁-C₆-alkoxycarbonyl;

with the proviso that R^4 is not trifluoromethyl when R^5 is hydrogen and W is -CH=CH-CO- R^{10} where R^{10} is C_1 - C_6 -alkoxy or C_3 - C_7 -cy-cloalkoxy, and

Ų

ίIJ

۱Ħ

누글

"H H"H H"H H H"H H"H

with the proviso that R^9 is halogen when R^4 and R^5 are simultaneously hydrogen and W is $CH(R^8)-CH(R^9)-CO-R^{10}$,

or a salt or an enol form of the compound of formula I in which \mathbb{R}^3 is hydrogen.

2. (amended) An enol ether of the compound of formula I defined in claim 1 represented by formula Ia or formula Ib

wherein R^3 ' is C_1-C_6 -alkyl, C_3-C_6 -alkenyl or C_3-C_6 -alkynyl, with the proviso that R^4 is not trifluoromethyl when R^5 is hydrogen and W is $-CH=CH-CO-R^{10}$ where R^{10} is C_1-C_6 -alkoxy or C_3-C_6 -cycloalkoxy.

- 3. (amended) The compound of formula I defined in claim 1 or its salt or enol form, wherein W is $-C(R^8)=C(R^9)-CO-R^{10}$ or $-CH(R^8)-CH(R^9)-CO-R^{10}$.
- 4. (amended) The compound of formula I defined in claim 1, wherein \mathbb{R}^3 is C_1-C_6 -alkyl.
- 5. (amended) The compound of formula I defined in claim 1 or its salt or enol form, wherein \mathbb{R}^2 is hydrogen or fluorine.
- 6. (amended) The compound of formula I defined in claim 1 or its salt or enol form, wherein \mathbb{R}^1 is chlorine or bromine.
- 7. (amended) The compound of formula I defined in claim 1 or its salt or enol form, wherein R^4 is C_1-C_6 -haloalkyl.
- 12. (amended) A herbicidal composition comprising an inert liquid or solid carrier and an effective amount of at least one 3-phenyluracil of formula I defined in claim 1, or the salt or the enol form of the compound of formula I in which R³ is hydrogen.
- 13. (amended) A method for controlling undesirable plant growth, wherein an effective amount of the 3-phenyluracil of formula I defined in claim 1, or the salt or the enol form of the compound of formula I in which R³ is hydrogen, is allowed to act on plants, on their habitat or on seed.

KLINTZ et al.




- 14. (amended) A composition for the desiccation or defoliation of plants comprising conventional additives and an effective amount of at least one 3-phenyluracil of formula I defined in claim 1, or the salt or the enol form of the compound of formula I in which R3 is hydrogen.
- 15. (amended) A method for the desiccation or defoliation of plants, wherein an effective amount of the 3-phenyluracil of formula I defined in claim 1 is allowed to act on the plants.
- 16. (amended) The method of claim 15, wherein cotton is defoliated.
- 17. (amended) A pesticidal composition comprising an inert carrier and an effective amount of at least one 3-phenyluracil of formula I defined in claim 1, or the salt or the enol form of the compound of formula I in which R3 is hydrogen.
- 18. (amended) A method for controlling pests, wherein an effective amount of the 3-phenyluracil of formula I defined in claim 1, or the salt or the enol form of the compound of formula I in which R3 is hydrogen, is allowed to act on pests or their habitat.
- 20. (new) The compound of formula I defined in claim 1, wherein R3 is hydrogen, C_1 - C_6 -alkyl or C_1 - C_6 -haloalkyl.
- 21. (new) The compound of formula I defined in claim 1, wherein R4 is C_1-C_6 -alkyl or C_1-C_6 -haloalkyl, or the salt or enol form thereof when R3 is hydrogen.
- 22. (new) The compound of formula I defined in claim 1, wherein R5 is hydrogen, halogen or C_1-C_6 -alkyl, or the salt or enol form thereof when R^3 is hydrogen.
- 23. (new) The compound of formula I defined in claim 1, wherein R^8 is hydrogen, or the salt or enol form thereof when R3 is hydrogen.
- 24. (new) The compound of formula I defined in claim 1, wherein R9 is halogen or C_1 - C_6 -alkyl, or the salt or enol form thereof when R^3 is hydrogen.
- 25. (new) The compound of formula I defined in claim 1, wherein R^{10} is $-OR^{17}$ or $-N(R^{15})R^{16}$, or the salt or enol form thereof when R^3 is hydrogen.
- 26. (new) The enol ether defined in claim 2. wherein W $-C(R^8)=C(R^9)-CO-R^{10}$ or $-CH(R^8)-CH(R^9)-CO-R^{10}$.

Ų

Ų

j=



- 27. (new) The enol ether defined in claim 2, wherein R^3 is C_1-C_6-al kyl.
- 28. (new) The enol ether defined in claim 2, wherein R^2 is hydrogen or fluorine.
- 29. (new) The enol ether defined in claim 2, wherein R^1 is chlorine or bromine.
- 30. (new) The enol ether defined in claim 2, wherein R^4 is C_1-C_6-ha loalkyl.
- 31. (new) The enol ether defined in claim 2, wherein R^4 is C_1-C_6 -alkyl or C_1-C_6 -haloalkyl.
- 32. (new) The enol ether defined in claim 2, wherein R5 is hydrogen, halogen or C_1-C_6 -alkyl.
- 33. (new) The enol ether defined in claim 2, wherein R8 is hydrogen.
- 34. (new) The enol ether defined in claim 2, wherein R9 is halogen or $C_1-C_6-alkyl.$
- 35. (new) The enol ether defined in claim 2, wherein R^{10} is $-OR^{17}$ or $-N(R^{15})R^{16}$.
- 36. (new) A herbicidal composition comprising an inert liquid or solid carrier and an effective amount of at least one enol ether of formula Ia or Ib defined in claim 2.
- 37. (new) A method for controlling undesirable plant growth, wherein an effective amount of the enol ether of formula Ia or Ib defined in claim 2 is allowed to act on plants, on their habitat or on seed.
- 38. (new) A composition for the desiccation or defoliation of plants comprising conventional additives and an effective amount of at least one enol ether of formula Ia or Ib defined in claim 2.
- 39. (new) A method for the desiccation or defoliation of plants, wherein an effective amount of the enol ether of formula Ia or Ib defined in claim 2 is allowed to act on the plants.
- 40. (new) The method of claim 39, wherein cotton is defoliated.



- 41. (new) A pesticidal composition comprising an inert carrier and an effective amount of at least one enol ether of formula Ia or Ib defined in claim 2.
- 42. (new) A method for controlling pests, wherein an effective amount of the enol ether of formula Ia or Ib defined in claim 2 is allowed to act on pests or their habitat.
- 43. (new) A 3-phenyluracil of formula I

where

ų

Ų

The limit of the l

 X^1 and X^2 are each oxygen or sulfur;

- W is $-C(R^8)=C(R^9)-CN$, $-C(R^8)=C(R^9)-CO-R^{10}$, $-CH(R^8)-CH(R^9)-CO-R^{10}$, $-C(R^8)=C(R^9)-CH_2-CO-R^{10}$, $-C(R^8)=C(R^9)-C(R^{11})=C(R^{12})-CO-R^{10}$ or $-C(R^8)=C(R^9)-CH_2-CH(R^{13})-CO-R^{10}$ where
 - R8 is hydrogen, cyano, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_1 - C_6 -haloalkyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl or C_1 - C_6 -alkoxycarbonyl;
 - R^9 and R^{12} are each hydrogen, cyano, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, halo- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl or C_1 - C_6 -alkoxycarbonyl;
 - R¹⁰ is hydrogen, O-R¹⁷, S-R¹⁷, C₁-C₆-alkyl which may furthermore carry one or two C₁-C₆-alkoxy substituents, or $C_3-C_6-alkenyl, \quad C_3-C_6-alkynyl, \quad C_1-C_6-haloalkyl, \quad C_3-C, cycloalkyl, \quad C_1-C_6-alkylthio-C_1-C_6-alkyl, \quad C_1-C_6-alkyliminooxy, -N(R¹⁵)R¹⁶ or$

phenyl which is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl,

R¹⁵ and R¹⁶ are each hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, C_3 - C_6 -cycloalkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, C_1 - C_6 -alkoxycarbonyl, or



 C_1 - C_6 -alkoxycarbonyl- C_2 - C_6 -alkenyl, where the alkenyl chain is unsubstituted or carries from one to three of the following radicals: halogen and cyano, or phenyl which is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl, or

- R^{15} and R^{16} together with the common nitrogen atom form a saturated or unsaturated 4-membered to 7-membered heterocyclic structure, where one ring member is optionally replaced by -O-, -S-, -N=, -NH- or -N(C₁-C₆-alkyl)-;
- R¹⁷ is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -haloalkenyl, cyano- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylthio- C_1 - C_6 -alkyl, C_1 - C_6 -alkyloximino- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, C_1 - C_6 -alkylcarbonyl- C_1 - C_6 -alkylcarbonyl- C_1 - C_6 -alkyl,

phenyl or phenyl- C_1 - C_6 -alkyl, where each of the phenyl radicals is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;

- R¹¹ is hydrogen, cyano, halogen, C_1 - C_6 -alkyl, C_3 - C_6 -alkenyl, C_3 - C_6 -alkynyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl,
 - -NR 18 R 19 , where R 18 and R 19 have the same meanings as R 15 and R 16 , or
 - phenyl which is unsubstituted or carries from one to three of the following substituents: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_6 -alkenyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;
- R^{13} is hydrogen, cyano, C_1-C_6 -alkyl or C_1-C_6 -alkoxycarbonyl; or
- R^9 and R^{10} together form a two-membered to five-membered carbon chain in which one carbon atom may be replaced with oxygen, sulfur or unsubstituted or C_1 - C_6 -alkyl-substituted nitrogen;
- R1 is halogen, cyano, nitro or trifluoromethyl;



- R² is hydrogen or halogen;
- R³ is hydrogen, nitro, C_1-C_6 -alkyl, C_3-C_6 -alkenyl, C_3-C_6 -alkynyl, C_3-C_8 -cycloalkyl, C_3-C_8 -cycloalkylcarbonyl, cyano- C_1-C_6 -alkyl, C_1-C_6 -haloalkyl, C_1-C_6 -alkoxy- C_1-C_6 -alkyl, formyl, C_1-C_6 -alkanoyl, C_1-C_6 -alkoxycarbonyl, C_1-C_6 -haloalkylcarbonyl, C_1-C_6 -alkylcarbonyl- C_1-C_6 -alkyl, C_1-C_6 -alkoxycarbonyl- C_1-C_6 -alkyl; a group $-N(R^{20})R^{21}$, where R^{20} and R^{21} have one of the meanings of R^{15} and R^{16} :

phenyl or phenyl- C_1 - C_6 -alkyl, where each phenyl ring is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxycarbonyl;

- Is hydrogen, cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_3 - C_8 -cycloalkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -hydroxyalkyl, cyano- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_1 - C_6 -alkyl-thio, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, C_1 - C_6 -alkylthio- C_1 - C_6 -alkyl or phenyl which is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxy-carbonyl;
- R⁵ is hydrogen, cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_3 - C_7 -cycloalkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -hydroxyalkyl, cyano- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy- C_1 - C_6 -alkyl, formyl, C_1 - C_6 -alkylthio- C_1 - C_6 -alkyl, formyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -haloalkylcarbonyl, C_1 - C_6 -alkoxy-carbonyl- C_2 - C_6 -alkenyl,

 $-N(R^{22})R^{23}$, where R^{22} and R^{23} have one of the meanings of R^{15} and R^{16} , or

phenyl which is unsubstituted or carries from one to three of the following radicals: cyano, nitro, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy and C_1 - C_6 -alkoxy-carbonyl, or

R⁴ and R⁵ together form a saturated or unsaturated 3-membered or 4-membered carbon chain which optionally contains from one to three of the following hetero atoms: 1 or 2 oxygen atoms, 1 or 2 sulfur atoms and from 1 to 3 nitrogen atoms, and the chain is unsubstituted or carries from one to three of the following radicals: cyano, nitro, amino, halogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio and C₁-C₆-alkoxycarbonyl;

Ų



with the proviso that R^4 is not trifluoromethyl when R^5 is hydrogen and W is -CH=CH-CO-R^{10} where R^{10} is C_1-C_6 -alkoxy or C_3-C_7 -cycloalkoxy, and

with the proviso that R^9 is halogen when R^4 and R^5 are simultaneously hydrogen and W is $CH(R^8)-CH(R^9)-CO-R^{10}$,

or a salt of the compound of formula I in which R^3 is hydrogen, or an enol form of the compound of formula I in which R^3 is hydrogen, C_1-C_6 -alkyl, C_3-C_6 -alkenyl or C_3-C_6 -alkynyl.